

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"6256675".pn. and (interval\$1 or time\$1 or determined or predetermined or pre?determined or transfer\$3 or tag\$1 or mark or flag\$1 or stor\$3 or sav\$3 or path or return\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 11:09
L3	1	"20040210583" and return\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 09:27
L4	98	(return\$3 with host\$1 with server with (file\$1 or object\$1 or replica\$1 or cop\$3)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:32
L5	4182	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or object\$1 or replica\$1 or cop\$3)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:33
L6	2484	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1 or cop\$3)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:34
L7	2114	(return\$3 near6 (host\$1 or server\$1 or client\$1) near6 (file\$1 or replica\$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:34
L8	1883	(return\$3 near5 (host\$1 or server\$1 or client\$1) near5 (file\$1 or replica\$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:34
L9	1587	(return\$3 near4 (host\$1 or server\$1 or client\$1) near4 (file\$1 or replica\$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:34

EAST Search History

L10	1198	(return\$3 near3 (host\$1 or server\$1 or client\$1) near3 (file\$1 or replica\$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:22
L11	0	"20040221024" and interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:39
L12	1	"20040221024" and time\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:39
L13	677	((((predetermined or pre?determined) adj interval\$1) near3 (execut\$3) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:42
L14	2	((((predetermined or pre?determined) adj interval\$1) near3 (execut\$3) near7 access\$3) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:46
L15	2	"20010002472" and interval\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 10:46
L16	2	"6256675".pn. and (log\$4 or indicat\$3 or record\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:21
L17	2	"20040221024"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 11:40

EAST Search History

L18	0	"6256675".pn. and (delet\$3 with path)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:43
L19	1	"6256675".pn. and (delet\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:21
L20	1140	(delet\$3 near3 (path\$1 or path?name\$1 or pathname\$1)) and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:26
L21	1	"20060036892" and delet\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:27
L22	2	"20060036892" and (delet\$3 or path\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:27
L23	1	"6256675".pn. and capacity	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:43
S1	2	"20040210583"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 09:27
S2	2117	(distributed adj file adj system\$1) or ((proxy near3 server\$1) near3 file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:39

EAST Search History

S3	1504	S2 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/27 12:23
S4	1457	S2 and (migrat\$3 or transfer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:42
S5	0	S2 and ((migrat\$3 or transfer\$4) with (another with server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:42
S6	661	S2 and ((migrat\$3 or transfer\$4) with (server))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:43
S7	496	S2 and (((migrat\$3 or transfer\$4) near5 (server)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:43
S8	161	S2 and ((((migrat\$3 or transfer\$4) near file\$1) near5 (server)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 11:49
S9	4	"645813".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/05 12:11
S10	2	"6453354".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:25

EAST Search History

S11	2	"20050192966"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:41
S12	55472	"200300"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:41
S13	2	"20030093413"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:42
S14	2	"20030093413" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 09:44
S15	3	"20020169794" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:12
S16	6	"785995".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:11
S17	2	"20040186861"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:12
S18	2	"20040186861" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:21

EAST Search History

S19	1	"20030204562" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:25
S20	2	"20030195924" and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:41
S21	2	"6442601".pn. and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 10:46
S22	2	"6026414".pn. and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 12:38
S23	2	"5873103".pn. and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:20
S24	2	"5537585".pn. and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 12:52
S25	1	"5452448".pn. and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:05
S26	181	migration near3 algorithm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:05

EAST Search History

S27	127	S26 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:06
S28	8	S27 and (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:10
S29	95	((migrat\$4 or transfer\$4) near5 (request\$1 or message\$1)) and (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:33
S30	37	((migrat\$4 or transfer\$4) near5 (request\$1 or message\$1)) same (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:11
S31	18	S30 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:12
S32	85	((migrat\$4 or transfer\$4) near5 request\$1) and (migrat\$4 with accept\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:46
S33	59	S32 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:05
S34	2	"6484204".pn. and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:06

EAST Search History

S35	5473	cisco.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:27
S36	4298	S35 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:27
S37	0	"L145" and (local adj director)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:28
S38	212	local adj director	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:28
S39	150	S38 and @ad<"20021201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:29
S40	88	S39 and cisco	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:33
S41	24	S40 and ((migrat\$4 or transfer\$4) near5 request\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 13:33
S42	6	"052039".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 14:06

EAST Search History

S43	2	"5544347".pn. and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 15:37
S44	2	"6256675".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 15:37
S45	2	"6256675".pn. and (access or history or situation or transmit\$4 or packet or migrator or migrat\$3 or transfer\$4 or predetermined or condition\$1 or request\$1 or *request*)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 09:58
S46	4	"645699".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/06 16:00
S47	2	"6256675".pn. and distributor\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 09:58
S48	4	"620988".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 13:24
S49	1	"6609132".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 13:26
S50	1	"20040024790" and table\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/07 16:16

EAST Search History

S51	1	"6256675".pn. and replicator\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/11/13 09:08
-----	---	---------------------------------	---	----	-----	------------------